Contents of volume 31

(pp 1-106) published 30 May 1989 No. 1 (pp 107-214) published 4 July 1989 No. 2 (pp 215-322) published 27 July 1989 No. 3 No. 4 (pp 323-434) published 21 August 1989 No. 5/6 (pp 435-634) published 21 September 1989

Mini-review

Sharma HSS: Economic importance of thermophilous fungi 1

Biotechnology

- Bar R: Cyclodextrin-aided microbial transformation of aromatic aldehydes by Saccharomyces cerevisiae 25
- Castellar MR, Borrego F, Cánovas M, Manjón A, Iborra JL: Continuous ethanol production at high glucose concentrations by a passively immobilized Zymomonas mobilis system (Short contribution) 249
- Edye, LA, Johns MR, Ewings KN: Fructose production by Zymomonas mobilis in fed-batch culture with minimal sorbitol formation 129
- Friedrich J. Cimerman A. Steiner W: Submerged production of pectolytic enzymes by Aspergillus niger: effect of different aeration/agitation regimes 490
- Fritsche K, Syldatk C, Wagner F, Hengelsberg H, Tacke R: Enzymatic resolution of rac-1,1-dimethyl-1-sila-cyclohexan-2-ol by ester hydrolysis or transesterification using a crude lipase preparation of Candida cylindracea 107
- Gendel SM, Nohr RS: Growth and nitrogen fixation by im-
- mobilized cyanobacteria 138
 Gibb GD, Ordaz DE, Strohl WR: Overproduction of extracel-Iular protease activity by Streptomyces C5-A13 in fedbatch fermentation 119
- Grishin SI, Tuovinen OH: Scanning electron microscopic examination of Thiobacillus ferrooxidans on different support matrix materials in packed bed and fluidized bed bioreactors 505
- Hamada T, Ishiyama T, Motai H: Continuous fermentation of soy sauce by immobilized cells of Zygosaccharomyces rouxii in an airlift reactor 346
- Hansson L, Dostálek M, Sőrenby B: Production of y-linolenic acid by the fungus Mucor rouxii in fed-batch and continuous culture 223
- Heyndrickx M, De Vos P, Speybrouck A, De Ley J: Fermentation of mannitol by Clostridium butyricum:
- role of acetate as an external hydrogen acceptor 323 Honecker S, Bisping B, Yang Z, Rehm H-J: Influence of sucrose concentration and phosphate limitation on citric acid production by immobilized cells of Aspergillus nig-
- Houng J-Y, Chen K-C, Hsu W-H: Optimization of cultivation medium composition for isoamylase production (Short contribution) 61
- Hüsemann MHW, Papoutsakis ET: Enzymes limiting butanol and acetone formation in continuous and batch cultures of Clostridium acetobutylicum 435

- Ishihara K, Suzuki T, Yamane T, Shimizu S: Effective production of Pseudomonas fluorescens lipase by semibatch culture with turbidity-dependent automatic feeding of both olive oil and iron ion 45
- Kanasawud P, Hjörleifsdottir S, Holst O, Mattiasson B: Studies on immobilization of the thermophilic bacterium Thermus aquaticus YT-1 by entrapment in various matrices 228
- Kantelinen A, Hatakka A, Viikari L: Production of lignin peroxidase and laccase by Phlebia radiata 234
- Kautola H, Linko YY: Fumaric acid production from xylose by immobilized Rhizopus arrhizus cells 448
- Legiša M, Kidrič J: Initiation of citric acid accumulation in the early stages of Aspergillus niger growth 453
- Lidén G, Larsson C, Gustafsson L, Niklasson C: A calorimetric and fluorescence study of batch cultures of Saccharomyces cerevisiae 355
- Lokotsch W. Fritsche K. Syldatk C: Resolution of p.L-menthol by interesterification with triacetin using the free and immobilized lipase of Candida cylindracea 467
- Maconi E, Aragozzini F: Stereoselective reduction of noncyclic ketones with lactic acid bacteria 29
- Macris BJ, Kekos D, Evangelidou X: A simple and inexpensive method for cellulase and B-glucosidase production by Neurospora crassa (Short contribution) 150
- Miličić S, Kremser M, Gaberc-Porekar V, Didek-Brumec M, Sočić H: The effect of aeration and agitation on Claviceps purpurea dimorphism and alkaloid synthesis during submerged fermentation 134
- Mitsuda S, Nabeshima S, Hirohara H: Studies on enantioselective hydrolysis of the acetic ester of a secondary alcohol with Arthrobacter lipase 334
- Monnet V, Bockelmann W, Gripon JC, Teuber M: Comparison of cell wall proteinases from Lactococcus lactis subsp. cremoris AC1 and Lactococcus lactis subsp. lactis NCDO 763. II. Specificity towards bovine β-casein 112
- Moresi M, Patete M, Trunfio A: Scaling-up of a batch whey fermentation by Kluyveromyces fragilis 495
- Mozaffar Z, Nakanishi K, Matsuno R: Production of trisaccharide from lactose using-\(\beta\)-galactosidase from Bacillus circulans modified by glutaraldehyde (Short contribution) 59
- Mulligan CN, Chow TY-K, Gibbs BF: Enhanced biosurfactant production by a mutant Bacillus subtilis strain 486
- Nakamura K, Amano Y, Nakayama O: Determination of free sulphite in wine using a microbial sensor 351
- Ngang JJE, Letourneau F, Villa P: Alcoholic fermentation of beet molasses: effects of lactic acid on yeast fermentation parameters 125
- Ng TK, Hu WS: Adherence of emulsan-producing Acinetobacter calcoaceticus to hydrophobic liquids 480
- Olvera-Treviño MA, Wacher-Rodarte MC, Canales AL-M: An endoglucanase from an isolated strain of Bacillus circu-
- Page WJ: Production of poly-β-hydroxybutyrate by Azotobacter vinelandii strain UWD during growth on molasses and other complex carbon sources 329
- Planchard A, Mignot L, Jouenne T, Junter G-A: Photoproduction of molecular hydrogen by Rhodospirillum rubrum immobilized in composite agar layer/microporous membrane structures 49
- Powalla M, Lang S, Wray V: Penta- and disaccharide lipid formation by Nocardia corynebacteroides grown on n-alkanes 473
- Renko M, Vitale Lj, Kokalj M, Pokorny M: Streptomyces rimosus extracellular proteases. 4. Trypsin-like protei-

Riedel K. Naumov AV. Grishenkov VG. Boronin AM, Stein HJ, Scheller F, Mueller H-G: Plasmid-containing microbial sensor for *e*-caprolactam 502

Santos-Rosa F, Galván F: Ammonium photoproduction by free and immobilized cells of Chlamydomonas reinhard-

Schmidt H, Bode R, Samsonova IA, Birnbaum D: Production of α-aminoadipate-δ-semialdehyde by a mutant from

Candida maltosa 463

Shinmen Y, Shimizu S, Akimoto K, Kawashima H, Yamada H: Production of arachidonic acid by Mortierella fungi. Selection of a potent producer and optimization of culture conditions for large-scale production 11

Shirai Y, Hashimoto K, Irie S: Formation of effective channels in alginate gel for immobilization of anchorage-de-

pendent animal cells 342

Shiraishi F, Kawakami K, Tamura A, Tsuruda S, Kusunoki K: Continuous production of free gluconic acid by Gluconobacter suboxydans IFO 3290 immobilized by adsorption on ceramic honeycomb monolith: effect of reactor configuration on further oxidation of gluconic acid to keto-gluconic acid 445

Shvinka JE, Pankova LM, Mežbarde IN, Licis LJ: Hydrogen peroxide production by Zymomonas mobilis 240

Suzuki Y, Oishi K: A relationship between efficiency of isomaltosaccharide hydrolysis and thermostability of six Bacillus oligo-1,6-glucosidases 32

Tsvetkov VT, Emanuilova El: Purification and properties of heat stable a-amylase from Bacillus brevis (Short contri-

bution) 246

Vasič-Racki D, Jonas M, Wandrey C, Hummel W, Kula M-R: Continuous (R)-mandelic acid production in an enzyme membrane reactor 215

Wight CP, Daugulis AJ, Lau RH, White BN: Stimulation of extracellular protein production in Bacillus brevis 47

Wilhelm C, Eggeling I, Nassenstein A, Jebsen C, Eggeling L, Sahm H: Limitations during hydroxybutyrate converison to isoleucine with Corynebacterium glutamicum, as analysed by the formation of by-products 458

Applied genetics and regulation

Boze H, Guyot JB, Moulin G, Galzy P: Isolation and characterization of a derepressed mutant of Schwanniomyces castellii for amylase production 366

Chan E-C, Ueng PP, Chen LF: Metabolism of p-xylose in Schizosaccharomyces pombe cloned with a xylose iso-

merase gene 524

Chesshyre JA, Hipkiss AR: Low temperatures stabilize interferon α-2 against proteolysis in Methylophilus methylotrophus and Escherichia coli 158

Deed A, Seviour R: Formation and regeneration of protoplasts of Sclerotium glucanicum 259

Feldmann S, Sprenger GA, Sahm H: Ethanol production from xylose with a pyruvate-formate-lyase mutant of Klebsiella planticola carrying a pyruvate-decarboxylase gene from Zymomonas mobilis 152

Gayer-Herkert G, Schneider J, Kutzner HJ: Transfection and transformation of protoplasts of the thermophilic actinomycete Faenia rectivirgula 371

Hobbs G, Frazer CM, Gardner DCJ, Cullum JA, Oliver SG: Dispersed growth of Streptomyces in liquid culture 272

Huang C-M, Kelly WJ, Asmundson RV, Yu P-L: Molecular cloning and expression of multiple cellulase genes of Ruminococcus flavefaciens strain 186 in Escherichia coli

Kück U, Walz M, Mohr G, Mracek M: The 5'-sequence of the isopenicillin N-synthetase gene (pcbC) from Cephalosporium acremonium directs the expression of the prokaryotic hygromycin B phosphotransferase gene (hph) in Aspergillus niger 358

Nicholls DJ, Minton NP, Atkinson T, Sundaram TK: Cloning sequencing and over-expression of Escherichia coli mal-

ate dehydrogenase 376

Pátek M, Nešvera J, Hochmannová J: Plasmid cloning vectors replicating in Escherichia coli, amino acid-producing coryneform bacteria and Methylobacillus sp. 65

Rinas U, Kracke-Helm H-A, Schügerl K: Glucose as a substrate in recombinant strain fermentation technology. Byproduct formation, degradation and intracellular accumulation of recombinant protein 163

Shibui T, Matsui R, Uchida-Kamizono M, Okazaki H, Kondo J, Nagahari K, Nakanishi S, Teranishi Y: Periplasmic production of human pancreatic prokallikrein in Escherichia

Shibui T, Uchida-Kamizono M, Takizawa Y, Kondo J, Hiyoshi C, Murayama S, Morimoto Y, Teranishi Y: High-level expression of human proapolipoprotein A-I in Escherichia coli using expression plasmids containing tandemly polymerized proapolipoprotein A-I structural genes 518

Stripecke R, Rosato YB, Astolfi-Filho S: Subcloning and expression of the a-amylase gene from Bacillus subtilis in

Xanthomonas campestris 512

Applied microbiology

Aono R: Subcellular distribution of alkalophilic Bacillus penicillinase produced by Escherichia coli HB101 carrying pEAP31 397

Blasig R, Huth J, Franke P, Borneleit P, Schunck W-H, Müller H-G: Degradation of long-chain n-alkanes by the yeast Candida maltosa. III. Effect of solid n-alkanes on

cellular fatty acid composition 571

Bockelmann W, Monnet V, Geis A, Teuber M, Gripon JC: Comparison of cell wall proteinases from Lactococcus lactis subsp. cremoris AC1 and Lactococcus lactis subsp. lactis NCDO 763. I. Purification and action of the enzymes on caseins 278

Bragger JM, Daniel RM, Coolbear T, Morgan HW: Very stable enzymes from extremely thermophilic archaebacteria

and eubacteria 556

Bringer-Meyer S, Sahm H: Junctions of catabolic and anabolic pathways in Zymomonas mobilis: phosphoenolpyruvate carboxylase and malic enzyme 529

Chan M, Breuil C, Schwald W, Saddler JN: Comparison of methods for quantifying the hydrolytic potential of cellu-

lase enzymes 413

Côrte-Real M, Leão C, Uden N van: Transport of L(-)malic acid and other dicarboxylic acids in the yeast Candida sphaerica 551

Delgado G, Topete M, Galindo E: Interaction of cultural conditions and end-product distribution in *Bacillus subtilis* grown in shake flasks 288

Draget KI, Østgaard K, Smidsrød O: Alginate-based solid

media for plant tissue culture 79

Ebbighausen H, Weil B, Krämer R: Isoleucine excretion in Corynebacterium glutamicum: evidence for a specific efflux carrier system 184

Izard A, Goma G, Soucaille P: Effects of various alcoholic supplements on the growth rate of *Clostridium acetobuty-licum* ATCC 824 179

Keweloh H, Heipieper H-J, Rehm H-J: Protection of bacteria against toxicity of phenol by immobilization in calcium alginate 383

Kiefer-Partsch B, Bockelmann W, Geis A, Teuber M: Purification of an X-prolyl-dipeptidyl aminopeptidase from the cell wall proteolytic system of *Lactococcus lactis* subsp. *cremoris* 75

Komori K, Wang P-c, Toda K, Ohtake H: Factors affecting chromate reduction in Enterobacter cloacae strain HO1 587

Krallish IL, Damberga BE, Beker MJ: State of adenosine phosphates during dehydration of yeast 194

Lee S-y, Rhee H-i, Tae W-c, Shin J-c, Park B-k: Purification and characterization of cholesterol oxidase from *Pseudo-monas* sp. and taxonomic study of the strain 542

Lee Y-K, Hing H-K: Supplying CO₂ to photosynthetic algal cultures by diffusion through gas-permeable membranes 298

Matsunaga T, Hashimoto K, Nakamura N, Nakamura K, Hashimoto S: Phagocytosis of bacterial magnetite by leucocytes 401

McKellar RC, Modler HW: Metabolism of fructo-oligosaccharides by Bifidobacterium spp. 537

Milstein O, Nicklas B, Hüttermann A: Oxidation of aromatic compounds in organic solvents with laccase from *Trametes versicolor* 70

Núñez CG, Callieri DAS: Studies on the polyphosphate cycle in Candida utilis. Effect of dilution rate and nitrogen

source in continuous culture 562

Pampulha ME, Loureiro-Dias MC: Combined effect of acetic acid, pH and ethanol on intracellular pH of fermenting yeast 547

Quinn JP, Peden JMM, Dick RE: Carbon-phosphorus bond cleavage by Gram-positive and Gram-negative soil bacteria 283

Rajagopal BS, LeGall J: Utilization of cathodic hydrogen by hydrogen-oxidizing bacteria 406

Rollins MJ, Jensen SE, Westlake DWS: Regulation of antibiotic production by iron and oxygen during defined medium fermentations of Streptomyces clavuligerus 390

Ropenga JS, Yax P, Lenfant M: Isosorbide dinitrate bioconversion by *Beauveria strains:* implication of glutathione transferase levels 176

Silva HJ, Cortiñas TI, Ertola RJ: Effect of nutritional factors on the culture of *Nostoc* sp. as a source of phycobiliproteins 293

Steinbüchel A, Schlegel HG: Excretion of pyruvate by mutants of Alcaligenes eutrophus, which are impaired in the accumulation of poly(β-hydroxybutyric acid) (PHB), under conditions permitting synthesis of PHB 168

Thiery I, Barjac H de: Selection of the most potent *Bacillus* sphaericus strains based on activity ratios determined on three mosquito species 577

Zikmanis PB, Kruce RV, Mackare IE, Auzina LP, Beker MJ: Interrelationship betwen pH-dependent uptake of bromophenol blue by intact Saccharomyces cerevisiae cells and

their viability after dehydration 191

Environmental microbiology

Anselmo AM, Cabral JMS, Novais JM: The adsorption of *Fusarium flocciferum* spores on celite particles and their use in the degradation of phenol 200

Ditzelmüller G, Loidl M, Streichsbier F: Isolation and characterization of a 2,4-dichlorophenoxyacetic acid-degrading soil bacterium 93

Goddard PA, Bull AT: The isolation and characterisation of bacteria capable of accumulating silver 308

Goddard PA, Bull AT: Accumulation of silver by growing and non-growing populations of *Citrobacter intermedius* B6

Gomes J, Gomes I, Esterbauer H, Kreiner W, Steiner W: Production of cellulases by a wild strain of *Gliocladium virens:* optimization of the fermentation medium and partial characterization of the enzymes 601

Jin F, Toda K: Nutrient effects on cellulase production by the new species, Clostridium thermocopriae 597

Kuhn SP, Pfister RM: Adsorption of mixed metals and cadmium by calcium-alginate immobilized Zoogloea ramigera 613

Merrettig U, Wlotzka P, Onken U: The removal of pyritic sulphur from coal by *Leptospirillum*-like bacteria (Short contribution) 626

Oberbremer A, Müller-Hurtig R: Aerobic stepwise hydrocarbon degradation and formation of biosurfactants by an original soil population in a stirred reactor 582

Pisano MA, Sommer MJ, Brancaccio L: Isolation of bioactive actinomycetes from marine sediments using rifampicin 609

Renganathan V, Johnston JB: Catechols of novel substrates produced using the toluene ring oxidation pathway of *Pseudomonas* sp. strain T-12 419

Roch P, Buswell JA, Cain RB, Odier E: Lignin peroxidase production by strains of *Phanerochaete chrysosporium* grown on glycerol 587

Ryan TP, Bumpus JA: Biodegradation of 2,4,5-trichlorophenoxyacetic acid in liquid culture and in soil by the white rot fungus *Phanerochaete chrysosporium* 302

Sembiring T, Winter J: Anaerobic degradation of phenylacetic acid by mixed and pure cultures 84

Sembiring T, Winter J: Anaerobic degradation of o-phenylphenol by mixed and pure cultures 89

Venkateswerlu G, Stotzky G: Binding of metals by cell walls of *Cunninghamella blakesleeana* grown in the presence of copper or cobalt 619

Venkateswerlu G, Yoder MJ, Stotzky G: Morphological, ultrastructural, and chemical changes induced in *Cunninghamella blakesleeana* by copper and cobalt 204

Wessendorf J, Lingens F: Effect of culture and soil conditions on survival of *Pseudomonas fluorescens* R1 in soil

Wilson JJ, Deschatelets L, Nishikawa NK: Comparative fermentability of enzymatic and acid hydrolysates of steampretreated aspenwood hemicellulose by *Pichia stipitis* CBS 5776 592

Wollersheim R, Selz A, Heppner B, Diekmann H: Enrichment of acetate-, propionate-, and butyrate-degrading co-cultures from the biofilm of an anaerobic fluidized bed reactor 425

Yadav VK, Archer DB: Sodium molybdate inhibits sulphate reduction in the anaerobic treatment of high-sulphate molasses wastewater (Short contribution) 103

Rapid communications

- Al-Rubeai M, Spier R: Quantitative cytochemical analysis of immobilised hybridoma cells 430
- Kirchner K, Schlachter U, Rehm H.-J: Biological purification of exhaust air using fixed bacterial monocultures 629
- Morikawa H, lida A, Yamada Y: Transient expression of foreign genes in plant cells and tissues obtained by a simple biolistic device (particle-gun) 320
- Sell D, Krämer P, Kreysa G: Use of an oxygen gas diffusion cathode and a three-dimensional packed bed anode in a bioelectrochemical fuel cell 211

Errata

- Fang AQ, Demain AL: A new chemically-defined medium for RAC-certified and other strains of *Bacillus subtilis* (30: 144-147) 214
- Gooijer CD de, van Lier FLJ, van den End EJ, Vlak JM, Tramper J: A model for baculovirus production with continuous insect cell cultures (30: 497-501) 434
- Tanaka T, Yarnamoto K, Towprayoon S, Nakajima H, Sonomoto K, Yokozeki K, Kubota K, Tanaka A: Continuous production of L-serine by immobilized growing *Corynebacter*ium glycinophilum cells (30: 564–568) 633
- Zikmanis PB, Kruce RV, Mackare IE, Auzina LP, Beker MJ: Interrelationship between pH-dependent uptake of bromophenol blue by intact Saccharomyces cerevisiae cells and their viability after dehydration (31: 191-193) 634

